

Work Order ID 136812-2

September 09, 2015 3:01:54 PM

136812

SPLIT 2

Page 1

Item ID: D3883-2

Revision ID:

Item Name: Saddle, Outboard RH

Start Date: 9/9/2015 Start Qty: 6.00

Required Date: 9/23/2015 Req'd Qty: 6.00

Reference:

Accept

N9000040100

Setup Start

NS1

Stop

NS2

Cust Item ID:

Customer:

Approvals:

Process Plan:

Date: 10 1 50 90 Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

NR1

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3883	D								

100

0.02

100

HAAS CNC VERTICAL MACHINING #1

0.07

HAAS 1

Memo

Program Batch No. 136 812

Double check by: 12

1-Machine Step No 1 per Folio FA817 and inspect per attached Dimension Sheets

2-Machine Step No 2 per Folio FA817 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA817 and inspect per Dimension Sheets

DAS

20

9-89

DAS

14

9-89

15-10-16

15/10/17

110

0.00

110

QC2- Inspect parts off machine FAI/FAIB

0.00

QC

Memo

Quality Control

DAS

20

9-89

DAS

14

9-89

15-10-16

15/10/17

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____			
Misidentified ☐	☐	Past Due ☐	☐				

September 09, 2015 3:01:54 PM

Page 2

Reference:

Run	Start	*NR1*
	Stop	*NR2*

[illegible]

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

September 09, 2015 3:01:54 PM

Page 3

Reference:

Run	Start	*NR1*
	Stop	*NR2*

140	White Gloss(Ref:4.3.5.1) per QS1005 4.3-Alum	0.00
140	<i>m 133 428</i>	
Powdercoat	Memo	0.00
Powder Coating	***MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT AS PER INDICATED ON DWG (SEE NOTE 2)***	

Memo

Powdercoat

Powder Coating

START TIME: 11:20
OVEN TEMPERATURE: 320
FINISH TIME: 11:50

150 QC3- Inspect Part Finish

Memo

OC

Quality Control

DAS
38
9-89
OCT 22 2015

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

September 09, 2015 3:01:54 PM

Page 4

20151026

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cutts ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

September 09, 2015 3:01:59 PM

Page 1

Work Order ID: 136812

136812

Parent Item: D3883-2

D3883-2

Parent Item Name: Saddle, Outboard RH

Start Date: 9/9/2015

Required Date: 9/23/2015

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP RevA: New issue DD verified by:EC
15.05.20 remove inside powdercoat DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-015 *D6101-015* Saddle Billet		Manufactured	No				Each	22.0000		6		DAS 20 9-89	
									**	16		15-10-15	

Location

Loc Qty

Loc Code

MAT044

12

134422

12

MAT045

10

135497

10

12

4


DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								



D3883-1 SADDLE, OUTBOARD LH

NOTES:

- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO
MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3883-1-REV0 SLDPR1"



RELEASED

2015 MAY 19

A.P. ECH15-575

20150909

2A 136812

D	GENERAL REDRAW, ADDED D3883-2 ON SHEETS 3 & 4, ADDED NOTE 9 & REMOVED UNNECESSARY DIMS, REMOVED POWDER COAT ON INSIDE SURFACE OF D3883-1/2	AP	15.02.11
C	ADD R1.265 (ZN D6-2)	RF	09.11.09
B	D6101-015, ZN A7-1, ADD 0.648, ZN D7-1, ADD 0.615, ZN D6-1, ADD 0.125, ZN D7-2, ADD 0.060 & R0.031, ZN B5-2, 0.75 WAS 0.729, ZN C7-2	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA DRAWING NO. D3883 TITLE OUTBOARD SADDLE SCALE NTS COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR LINES OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	
DRAWN	AP		
CHECKED	AJS		
MFG. APPR	JLM		
APPROVED	HS		
DE APPR	DS	DATE 15.02.11	
DATE			

APPROVED

REV. D

SHEET 1 OF 4

SCALE

NTS

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor	
								Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								




SECTION A-A D7-1


DO NOT MASK THIS SURFACE



SECTION B-B B4-1



DETAIL C B4-1



D3883-1 SADDLE, OUTBOARD LH
(AUXILIARY VIEW)

RELEASED

A-R 2015 MAY 19

APPROVED	DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
	DRAWN	AP		
	CHECKED	AJS	DRAWING NO.	REV. D
	MFG. APPR.	JLM	D3883	SHEET 2 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	OUTBOARD SADDLE	NTS
DATE		15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	


DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use as is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor	
								Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								



D3883-2 SADDLE, OUTBOARD RH

NOTES:

- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3883-2-REV.D.SLDPRT"



RELEASED
APR 2015 MAY 19

APPROVED

DESIGN	AP	DART AEROSPACE USA, INC.	
DRAWN	AP	KENT, WA	
CHECKED	AJS	DRAWING NO.	REV. D
MFG APPR	JLM	D3883	SHEET 3 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR	DS	OUTBOARD SADDLE	NTS
DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

DQA: _____ Date: _____







WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td style="border: none;"></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval																		
Description Work Order Deviation				Disposition																					
				Completed By																					
				Lead hand / Supervisor																					
				Approval Verification																					
				QC / QA Coordinator Approval																					
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐																	
OTHER :																									



D3883-2 SADDLE, OUTBOARD RH
(AUXILIARY VIEW)

RELEASED
A8 2015 MAY 19

APPROVED	DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
	DRAWN	AP		
	CHECKED	AJS	DRAWING NO.	REV D
	MFG. APPR.	JLM	D3883	SHEET 4 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR	DS	OUTBOARD SADDLE	NTS
	DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

DART AEROSPACE LTD		Work Order:	136812
Description: Saddle, Outboard, RH		Part Number:	D3883-2
Inspection Dwg: D3883	Rev. D	Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		.645	.647	.646	.646		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.259	.259	.259	.259		
F	0.605	0.625		.614	.615	.614	.615		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.001	2.001	2.001	2.0024		
J	0.140	0.165		.147	.149	.150	.148		
K	0.240	0.260		.245	.246	.245	.244		
L	0.115	0.135		.126	.126	.127	.127		
M	0.140	0.165		.148	.149	.150	.150		
N	0.720	0.780		.766	.760	.760	.760		
O	0.240	0.260		.251	.251	.250	.249		
P	0.110	0.140		.140	.140	.140	.140		
Q	0.178	0.198		.188	.188	.188	.188		
R	2.825	2.885		2.850	2.850	2.850	2.850		
S	0.316	0.321		.318	.318	.317	.318		
T	0.990	1.010		1.004	1.000	.999	.999		
U	1.750	1.755		1.750	1.750	1.750	1.750		
V	5.990	6.010		6.000	6.000	6.001	6.001		
W	1.245	1.255		1.250	1.250	1.250	1.250		
X	0.490	0.510		.498	.500	.501	.499		
Y	1.220	1.280		1.250	.1251	1.251	1.251		
Z	2.495	2.505		2.500	2.500	2.500	2.500		
AA	0.313	0.318		.314	.314	.314	.314		
AB	0.020	0.040		.030	.030	.030	.030		
AC	0.760	0.765		.760					
AD	0.215	0.220		.220					
AE	1.265	1.285		1.266	1.267	1.267	1.268		
AF									

Accept/Reject DAS

Measured by	<i>CHL</i>
Date	15/10/17

Audited by	<i>Ofc</i>
Date	2015-10-20

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐								
Misidentified	☐	Past Due	☐	OTHER : _____							

DART AEROSPACE LTD		Work Order:	136812
Description: Saddle, Outboard, RH		Part Number:	D3883-2
Inspection Dwg: D3883	Rev. D	Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				15	16	17	18		
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		.647	.647	.646	.640		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.258	.258	.258	.258		
F	0.605	0.625		.615	.616	.615	.610		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.0008	2.0015	2.0023	2.001		
J	0.140	0.165		.150	.148	.149	.150		
K	0.240	0.260		.246	.245	.246	.246		
L	0.115	0.135		.125	.127	.127	.127		
M	0.140	0.165		.150	.150	.150	.150		
N	0.720	0.780		.760	.762	.760	.760		
O	0.240	0.260		.250	.250	.248	.250		
P	0.110	0.140		.140	.140	.140	.140		
Q	0.178	0.198		.188	.188	.188	.188		
R	2.825	2.885		2.850	2.850	2.850	2.850		
S	0.316	0.321		.318	.318	.316	.316		
T	0.990	1.010		1.000	1.001	1.000	.999		
U	1.740	1.755		1.750	1.750	1.750	1.750		
V	5.990	6.010		6.001	6.001	6.000	6.000		
W	1.245	1.255		1.250	1.250	1.250	1.250		
X	0.490	0.510		.498	.498	.499	.497		
Y	1.220	1.280		1.252	1.257	1.250	1.250		
Z	2.495	2.505		2.500	2.500	2.500	2.500		
AA	0.313	0.318		.314	.314	.314	.314		
AB	0.020	0.040		.030	.030	.030	.030		
AC	0.760	0.765				.760	.760		
AD	0.215	0.220				.219	.219		
AE	1.265	1.285		1.267	1.267	1.2675	1.267		
AF									

Accept/Reject DAS

14

DAS

20

Measured by

Date

15/10/17

15-10-19

Audited by

Date

Jfc
2015-10-20

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Materials	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :							
Misidentified	☐	Past Due	☐								

DART AEROSPACE LTD		Work Order:	136812
Description: Saddle, Outboard, RH		Part Number:	D3883-2
Inspection Dwg: D3883	Rev. D	Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				19	210	811	A12		
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		.641	.641	.641	.641		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.258	.258	.258	.258		
F	0.605	0.625		.611	.611	.611	.611		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.0012	2.001	2.0007	2.0011		
J	0.140	0.165		.149	.148	.146	.147		
K	0.240	0.260		.245	.245	.244	.245		
L	0.115	0.135		.127	.127	.125	.126		
M	0.140	0.165		.151	.149	.151	.147		
N	0.720	0.780		.760	.760	.760	.760		
O	0.240	0.260		.248	.249	.251	.248		
P	0.110	0.140		.140	.140	.140	.140		
Q	0.178	0.198		.188	.188	.188	.188		
R	2.825	2.885		2.850	2.855	2.855	2.855		
S	0.316	0.321		.316	.316	.316	.316		
T	0.990	1.010		.999	.999	1.000	.998		
U	1.745	1.755		1.750	1.750	1.750	1.750		
V	5.990	6.010		6.000	6.000	6.000	6.000		
W	1.245	1.255		1.250	1.250	1.250	1.250		
X	0.490	0.510		.499	.497	.499	.498		
Y	1.220	1.280		1.250	1.250	1.250	1.250		
Z	2.495	2.505		2.500	2.500	2.500	2.500		
AA	0.313	0.318		.314	.314	.314	.314		
AB	0.020	0.040		.030	.030	.030	.030		
AC	0.760	0.765		.760	.760	.760	.760		
AD	0.215	0.220		.218	.218	.218	.218		
AE	1.265	1.285		1.2664	1.2661	1.2666	1.2668		
AF									
Accept/Reject									

Measured by:	20	Audited by:	JFL
Date:	15-10-14	Date:	2015-10-20

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐								
Date: _____		Step #: _____		QTY Effective: _____			MRB (QSI042) Approval					
Description Work Order Deviation				Disposition				Completed By				
								Lead hand / Supervisor Approval Verification				
												QC / QA Coordinator Approval
Root Cause		FAULT CATEGORY										
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐							
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐							
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐							
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐							
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐							
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐							
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐							
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐							
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐							
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐							
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____										
Misidentified ☐	Past Due ☐											

DART AEROSPACE LTD		Work Order:	136812
Description: Saddle, Outboard, RH		Part Number:	D3883-2
Inspection Dwg: D3883		Rev. D	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	13	214	15348	416		
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		.641	.641	.641	.641		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.258	.258	.258	.258		
F	0.605	0.625		.612	.612	.612	.611		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.0022	2.0005	2.002	2.0026		
J	0.140	0.165		.149	.147	.147	.148		
K	0.240	0.260		.245	.245	.245	.245		
L	0.115	0.135		.126	.126	.126	.127		
M	0.140	0.165		.152	.150	.151	.148		
N	0.720	0.780		.760	.760	.760	.760		
O	0.240	0.260		.250	.249	.249	.246		
P	0.110	0.140		.140	.140	.140	.140		
Q	0.178	0.198		.188	.188	.188	.188		
R	2.825	2.885		2.855	2.855	2.855	2.855		
S	0.316	0.321		.316	.316	.316	.316		
T	0.990	1.010		.998	.998	.998	.998		
U	1.745	1.755		1.750	1.750	1.750	1.750		
V	5.990	6.010		6.000	6.000	6.000	6.000		
W	1.245	1.255		1.250	1.250	1.250	1.250		
X	0.490	0.510		.498	.497	.497	.495		
Y	1.220	1.280		1.250	1.250	1.250	1.250		
Z	2.495	2.505		2.500	2.500	2.500	2.500		
AA	0.313	0.318		.314	.314	.314	.314		
AB	0.020	0.040		.030	.030	.030	.030		
AC	0.760	0.765		.760	.760	.760	.760		
AD	0.215	0.220		.218	.218	.218	.218		
AE	1.265	1.285		1.2664	1.2662	1.2667	1.2679		
AF									

Accept/Reject

Measured by	20 G.89
Date	15-10-19

Audited by	JFC
Date	2015-10-20

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	